



UNICORN s.r.l.  
Via Soderini Luigi 55  
20146 MILANO  
Tel. + 39 380 18 41 411  
[www.meembeautyconcept.com](http://www.meembeautyconcept.com)  
[info@meembeautyconcept.com](mailto:info@meembeautyconcept.com)

# SAFETY DATA SHEET

Conforms to Regulation (EC) No. 1907/2006 (REACH)

## ACRYLME DIAMOND BLUSH

code 70128

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier:

**ACRYLME DIAMOND BLUSH** code 70128

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against:

**Use of substance / mixture:** Light curable resin / UV gel. for professional use only

#### 1.3. Details of the supplier of the safety data sheet:

UNICORN s.r.l.  
Via Soderini Luigi 55  
20146 MILANO  
Tel. + 39 380 18 41 411  
[www.meembeautyconcept.com](http://www.meembeautyconcept.com)  
[info@meembeautyconcept.com](mailto:info@meembeautyconcept.com)

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

**Classification under CLP:** Eye Dam. 1: H318; Aquatic Chronic 2: H411; Skin Sens. 1A: H317

**Most important adverse effects:** May cause an allergic skin reaction. Causes serious eye damage. Toxic to aquatic life with long lasting effects.

# SAFETY DATA SHEET

Conforms to Regulation (EC) No. 1907/2006 (REACH)

## ACRYLME DIAMOND BLUSH

code 70128

### SECTION 2: Hazards identification

#### 2.2. Label elements:

**Hazard statements:** H317: May cause an allergic skin reaction.  
H318: Causes serious eye damage.  
H411: Toxic to aquatic life with long lasting effects.

**Hazard pictograms:** GHS05: Corrosion  
GHS07: Exclamation mark  
GHS09: Environmental



**Signal words:** Danger

**Precautionary statements:** P280: Wear protective gloves/protective clothing/eye protection/face protection.  
P302+P352: IF ON SKIN: Wash with plenty of water.  
P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P310: Immediately call a POISON CENTER or doctor.  
P321: Specific treatment (see instructions on this label)  
P362+P364: Take off contaminated clothing and wash it before reuse.

#### 2.3. Other hazards

**PBT:** This product is not identified as a PBT/vPvB substance.

# SAFETY DATA SHEET

Conforms to Regulation (EC) No. 1907/2006 (REACH)

## ACRYLME DIAMOND BLUSH

code 70128

### SECTION 3: Composition/information on ingredients

#### 3.2. Mixtures

##### DI-HEMA TRIMETHYLHEXYL DICARBAMATE

| EINECS    | CAS        | PBT / WEL | CLP Classification                           | Percent |
|-----------|------------|-----------|----------------------------------------------|---------|
| 276-957-5 | 72869-86-4 | -         | Skin Sens. 1B: H317; Aquatic Chronic 2: H411 | 25-55%  |

##### HYDROXYETHYL ACRYLATE/IPDI/PPG-15 GLYCERYL ETHER COPOLYMER

|   |   |   |                     |        |
|---|---|---|---------------------|--------|
| - | - | - | Skin Sens. 1B: H317 | 25-55% |
|---|---|---|---------------------|--------|

##### ALIPHATIC URETHANE ACRYLATE

|   |   |   |                     |       |
|---|---|---|---------------------|-------|
| - | - | - | Skin Sens. 1B: H317 | 5-25% |
|---|---|---|---------------------|-------|

##### 2-PROPEONIC ACID REACTION PRODUCT WITH PENTAERYTHRITOL

|           |              |   |                                                                                                         |       |
|-----------|--------------|---|---------------------------------------------------------------------------------------------------------|-------|
| 629-850-6 | 1245638-61-2 | - | Acute Tox. 4: H302; Aquatic Chronic 3: H412; Skin Irrit. 2: H315; Eye Dam. 1: H318; Skin Sens. 1A: H317 | 5-25% |
|-----------|--------------|---|---------------------------------------------------------------------------------------------------------|-------|

##### MBF

|   |            |   |                    |        |
|---|------------|---|--------------------|--------|
| - | 15206-55-0 | - | Skin Sens. 1: H317 | 0.1-1% |
|---|------------|---|--------------------|--------|

##### NEOPENTYLGLYCOLPROPOXYALDIACRYLAT

|           |            |   |                                              |        |
|-----------|------------|---|----------------------------------------------|--------|
| 617-546-6 | 84170-74-1 | - | Skin Sens. 1B: H317; Aquatic Chronic 2: H411 | 0.1-1% |
|-----------|------------|---|----------------------------------------------|--------|

# SAFETY DATA SHEET

Conforms to Regulation (EC) No. 1907/2006 (REACH)

## ACRYLME DIAMOND BLUSH

code 70128

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

**Skin contact:** Remove all contaminated clothes and footwear immediately unless stuck to skin.

Wash immediately with plenty of soap and water. Consult a doctor.

**Eye contact:** Bathe the eye with running water for 15 minutes. Consult a doctor.

**Ingestion:** Wash out mouth with water. Consult a doctor.

**Inhalation:** Remove casualty from exposure ensuring one's own safety whilst doing so. Consult a doctor.

#### 4.2. Most important symptoms and effects, both acute and delayed

**Skin contact:** There may be irritation and redness at the site of contact.

**Eye contact:** There may be irritation and redness. The eyes may water profusely.

**Ingestion:** There may be soreness and redness of the mouth and throat.

**Inhalation:** Exposure may cause coughing or wheezing.

**Delayed / immediate effects:** Delayed effects can be expected after long-term exposure.

#### 4.3. Indication of any immediate medical attention and special treatment needed

**Immediate / special treatment:** Not applicable.

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

**Extinguishing media:** Suitable extinguishing media for the surrounding fire should be used.

#### 5.2. Special hazards arising from the substance or mixture

**Exposure hazards:** In combustion emits toxic fumes.

#### 5.3. Advice for fire-fighters

**Advice for fire-fighters:** Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

# SAFETY DATA SHEET

Conforms to Regulation (EC) No. 1907/2006 (REACH)

## ACRYLME DIAMOND BLUSH

code 70128

### SECTION 6: Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

**Personal precautions:** Do not attempt to take action without suitable protective clothing - see section 8 of SDS.

Do not create dust. Refer to section 8 of SDS for personal protection details. Mark out the contaminated area with signs and prevent access to unauthorised personnel.

#### 6.2. Environmental precautions

**Environmental precautions:** Do not discharge into drains or rivers.

#### 6.3. Methods and material for containment and cleaning up

**Clean-up procedures:** Transfer to a closable, labelled salvage container for disposal by an appropriate method.

#### 6.4. Reference to other sections

**Reference to other sections:** Refer to section 8 of SDS.

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

**Handling requirements:** Avoid direct contact with the substance. Avoid the formation or spread of dust in the air.

#### 7.2. Conditions for safe storage, including any incompatibilities

**Storage conditions:** Store in a cool, well ventilated area. Keep container tightly closed.

#### 7.3. Specific end use(s)

**Specific end use(s):** No data available.

# SAFETY DATA SHEET

Conforms to Regulation (EC) No. 1907/2006 (REACH)

## ACRYLME DIAMOND BLUSH

code 70128

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

**Workplace exposure limits:** No data available.

#### DNEL/PNEC Values

**DNEL / PNEC** No data available.

#### 8.2. Exposure controls

**Engineering measures:** Ensure there is sufficient ventilation of the area.

**Respiratory protection:** Self-contained breathing apparatus must be available in case of emergency. Respiratory

protective device with particle filter.

**Hand protection:** Protective gloves.

**Eye protection:** Safety glasses. Ensure eye bath is to hand.

**Skin protection:** Protective clothing.

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

**State:** Paste

#### 9.2. Other information

**Other information:** No data available.

# SAFETY DATA SHEET

Conforms to Regulation (EC) No. 1907/2006 (REACH)

## ACRYLME DIAMOND BLUSH

code 70128

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

**Reactivity:** Stable under recommended transport or storage conditions.

#### 10.2. Chemical stability

**Chemical stability:** Stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

**Hazardous reactions:** Hazardous reactions will not occur under normal transport or storage conditions. Decomposition may occur on exposure to conditions or materials listed below.

#### 10.4. Conditions to avoid

**Conditions to avoid:** Heat.

#### 10.5. Incompatible materials

**Materials to avoid:** Strong oxidising agents. Strong acids.

#### 10.6. Hazardous decomposition products

**Haz. decomp. products:** In combustion emits toxic fumes.

# SAFETY DATA SHEET

Conforms to Regulation (EC) No. 1907/2006 (REACH)

## ACRYLME DIAMOND BLUSH

code 70128

### SECTION 11: Toxicological information

#### 11.1. Information on toxicological effects

##### Relevant hazards for product:

| Hazard                         | Route | Basis                 |
|--------------------------------|-------|-----------------------|
| Serious eye damage/irritation  | OPT   | Hazardous: calculated |
| Respiratory/skin sensitisation | -     | Hazardous: calculated |

#### Symptoms / routes of exposure

**Skin contact:** There may be irritation and redness at the site of contact.

**Eye contact:** There may be irritation and redness. The eyes may water profusely.

**Ingestion:** There may be soreness and redness of the mouth and throat.

**Inhalation:** Exposure may cause coughing or wheezing.

**Delayed / immediate effects:** Delayed effects can be expected after long-term exposure.

### SECTION 12: Ecological information

#### 12.1 Toxicity

**Ecotoxicity values:** No data available.

#### 12.2. Persistence and degradability

**Persistence and degradability:** Biodegradable.

#### 12.3. Bioaccumulative potential

**Bioaccumulative potential:** No bioaccumulation potential.



# SAFETY DATA SHEET

Conforms to Regulation (EC) No. 1907/2006 (REACH)

## ACRYLME DIAMOND BLUSH

code 70128

### SECTION 12: Ecological information

#### 12.4. Mobility in soil

#### 12.5. Results of PBT and vPvB assessment

**PBT identification:** This product is not identified as a PBT/vPvB substance.

#### 12.6. Other adverse effects

**Other adverse effects:** Negligible ecotoxicity.

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

**Disposal operations:** Transfer to a suitable container and arrange for collection by specialised disposal company.

**NB:** The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

### SECTION 14: Transport information

**Transport class:** This product does not require a classification for transport.

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

**Specific regulations:** Not applicable.

#### 15.2. Chemical Safety Assessment

**Chemical safety assessment:** A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.

# SAFETY DATA SHEET

Conforms to Regulation (EC) No. 1907/2006 (REACH)

## ACRYLME DIAMOND BLUSH

code 70128

### SECTION 16: Other information

#### Other information

**Other information:** according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

\* indicates text in the SDS which has changed since the last revision.

**Phrases used in s.2 and s.3:** H302: Harmful if swallowed.  
H315: Causes skin irritation.  
H317: May cause an allergic skin reaction.  
H318: Causes serious eye damage.  
H411: Toxic to aquatic life with long lasting effects.  
H412: Harmful to aquatic life with long lasting effects.

**Legal disclaimer:** The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.